Back kit for 3 elements with 2 Schuko socket outlets and 1 2xUSB charger Simon 100

REF. **10010308-039**



BASIC INFORMATION

COMPATIBILITY
Front Kit Simon 100

PACKAGING CONTENTS
Mechanism and instructions

ETIM CLASS
EC000125

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

NUMBER OF POSSIBLE ELEMENTS
3 elements

INDICATOR FUNCTION
No

CURRENT (A)
16 A

TYPE OF MECHANISM
Insertion

MONOBLOCK
No

NOMINAL VOLTAGE (V~)
250 V~

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

USB CURRENT (A)
2,1 A

INSTALLATION AND MAINTENANCE

CLAW

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal

INSTALLATION DIRECTION
Vertical and horizontal

INSTALLATION TYPE
Suitable for flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Schuko: 1 click connection (1 click®)

TYPE OF TERMINAL CONNECTION - FUNCTION 2
USB: Screw

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60950-1:2006 + EN 60950-1:2006 A11:2009 + EN 60950-1:2006 A1:2010 + EN 60950-1:2006 A12:2011 + EN 60950-1:2006 A2:2011*3 + ETSI-EN 301489-34 v14.1*3 + IEC 60884-1 Ed. 3.2*1

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053201329

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.34

PRODUCT NET WEIGHT
0.34

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053201329

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
75

PACKAGING WIDTH
88

PACKAGING LENGTH
230

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
1518000

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.34

PACKAGING NET WEIGHT
0.34

PACKAGING WEIGHT UNIT
KGM