# Ofiblock Compact assembled and wired with 2 French sockets, 2 UPS French sockets and 1 rear hole in the last position

REF. **KFC205022LP1/9**



## BASIC INFORMATION

### FINISH
White

### MATERIAL
Metal,Plastic

### COMPATIBILITY
Functions of the Simon K45 range and combinable with the Simon Electrical Wiring range.

### ETIM CLASS
EC002759

## TECHNICAL INFORMATION

### FORMAT
French

### IP RATING
IP4X

### NOMINAL VOLTAGE (V~)
250 V~

### CURRENT (A)
16 A

### MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### RAL
9003

## INSTALLATION AND MAINTENANCE

### REMOVAL OF COMPONENTS
Only with tool

### INSTALLATION DIRECTION
Horizontal, Vertical

### SECURING POSSIBILITIES
Its design allows it to be surface-mounted on the wall, on table-top furniture, under a desk, on a raised floor, a metal surface with magnet, or on a DIN rail using specific fastening accessories.

### REMOVAL OF COVER
Only with tool

### REMOVAL OF THE PLATE
Only with tool

### EXTINGUISHING (°C)
+850 °C (according to standard IEC 60670)

### REMOVAL OF THE SOCKET
Only with tool

## LOGISTICS INFORMATION

UNITARY EAN CODE
8421053322840

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.548

PRODUCT NET WEIGHT
0.518

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053322857

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
60

PACKAGING WIDTH
55

PACKAGING LENGTH
320

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
759000

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.548

PACKAGING NET WEIGHT
0.518

PACKAGING WEIGHT UNIT
KGM