


Motor two-way switch 16A 220V~ without rocker Simon 82

REF. 75111-69



BASIC INFORMATION

FINISH

Wood

TECHNICAL INFORMATION

CABLE SECTION ADMITTED (MM)

3,3 mm

CURRENT (A)

16 A

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VOLTAGE (V~)

220 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY
(MM)

11

TYPE OF TERMINAL
CONNECTION - FUNCTION 1

Screw

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

34.19

UNITARY PACKAGING GROSS
WEIGHT

19.8

PACKAGING LENGTH

225

UNITARY PACKAGING WIDTH

21.72

PRODUCT NET WEIGHT

19.8

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING LENGTH

45.74

UNITARY PACKAGING WEIGHT
UNIT

GRM

PACKAGING VOLUME

1.068

UNITARY PACKAGING
MEASUREMENT UNIT

MMT

PACKAGING EAN

7506207315372

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING VOLUME

0.033

UNITS CONTAINED PACKAGING

20

PACKAGING GROSS WEIGHT

0.396

UNITARY PACKAGING VOLUME
UNIT

DMQ

PACKAGING HEIGHT

50

PACKAGING NET WEIGHT

396

PACKAGING WIDTH

95

PACKAGING WEIGHT UNIT

KGM

VISTA FRONTAL E ISOMÉTRICA DEL PRODUCTO





DIAGRAMA DE MONTAJE



*Placa y chasis NO incluidos

DIAGRAMA DE CONEXIÓN

