


Modular R-TV+SAT signal socket single Simon 75

REF. 75466-69



BASIC INFORMATION

DESCRIPTION

Modular R-TV+SAT signal socket Simon 75 designed for the combined distribution of radio signal, terrestrial television TDT, and satellite in individual installations. Modular solution that ensures stable transmission and compatibility with current reception systems in residential and professional environments. Based on 9.5 mm Ø IEC connectors, it incorporates a screw terminal connection system for quick, safe, and durable connection. Accepts coaxial cable from 6 to 8 mm with 8 mm stripping, ensuring precise and reliable installation. Made with metallic components and halogen-free thermoplastic insulation in accordance with EN 50083-2 and EN 50581 regulations, it offers safety, durability, and high performance within the Simon 75 series and compatible frames.

MATERIAL

Plastic,Metal

COMPATIBILITY

Marcos Simon 27 Play, Simon 27 Scudo, Simon 27, Simon 31, Simon 44 Aqua, Simon 75, Simon 82 Detail, Simon 82 Nature, Simon 82 Concept and Simon 82.

PACKAGING CONTENTS

R/TV+SAT socket and instruction sheet

ETIM CLASS

EC000439

REMARKS

Using IEC 9.5 mm connectors. Ø

TECHNICAL INFORMATION

AVAILABLE MARKET CE	NUMBER OF POSSIBLE ELEMENTS 1 element	OPERATING TEMPERATURE RANGE (°C) 0 - 40 °C
CABLE SECTION ADMITTED (MM) From 6 to 8 mm	FORMAT R/TV,SAT	RECESS DIMENSION (MM) 35
NUMBER OF CONNECTORS 2	IP RATING IP20	STORAGE TEMPERATURE RANGE (°C) -25 - 50 °C
CONNECTOR TYPE IEC	LINKABLE No	VERSION Single
NUMBER OF CONTACTS 1	TYPE OF MECHANISM Insertion	NUMBER OF WIRES 1

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM) 8	INSTALLABLE IN FLUSH MOUNT JUNCTION BOX Universal	INSTALLATION TYPE Suitable for surface and flush mounting
CLAW Simon 27	INSTALLATION DIRECTION Horizontal, Vertical	TYPE OF TERMINAL CONNECTION - FUNCTION 1 Screw
REMOVAL OF COVER Only with tool		

REGULATIONS

REGULATIONS

Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | EN 50083-2:2012 | EN 50083-2:2012 A1:2015 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053256183

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.113

PRODUCT NET WEIGHT

0.113

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053060384

UNITS CONTAINED PACKAGING

10

PACKAGING HEIGHT

82

PACKAGING WIDTH

165

PACKAGING LENGTH

223

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

3017190000

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

1.13

PACKAGING NET WEIGHT

1.13

PACKAGING WEIGHT UNIT

KGM

● INTERMEDIA

75487-39
75467-69

○ FINAL

75488-39
75468-69

● UNICA

7500470-039
75486-39
75466-69

En Serie/Cascada



En Estrella




1



2



3



4



Para información más detallada consultar la hoja de instrucciones
For more detailed information check the instruction sheet

