
Electronic dimmable switch 250 V~ Dali 2 LOLA Simon 75

REF. **7510316-039**



BASIC INFORMATION

DESCRIPTION

Electronic adjustable switch 250 V~ Dali 2 LOLA from the Simon 75 series. Wifi protocol. Lola is Simon's digital ecosystem for the comprehensive management of homes, buildings, and cities, allowing complete control of spaces.

MATERIAL

FR4,Steel,Plastic

COMPATIBILITY

Molduras Simon 360

ETIM CLASS

EC000025

REMARKS

Broadcast communication ensuring the same configuration in all luminaires. Does not allow individual addressing of devices. DALI power supply is not necessary.

TECHNICAL INFORMATION

FREQUENCY
50 - 60 Hz

IP RATING
IP20

RECESS DIMENSION (MM)
40

INDICATOR FUNCTION
Yes

LINKABLE
Yes

VOLTAGE (V~)
127/230 V~

NUMBER OF SWITCHES
1

POWER SUPPLY (V~)
127/230 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)
7

CLAW
Not possible

REMOVAL OF COVER
Only with tool

INSTALLATION DIRECTION
Horizontal, Vertical

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Screw

REGULATIONS

REGULATIONS
Dir. 2014/53/UE RED*1 | Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN 50428:2005 + A1:2007 + A2:2009*1 | EN 60669-1:2018 | ETSI EN 300328 V2.2.2*1 EN IEC 63000:201 | EN IEC 63000:201

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0

PRODUCT NET WEIGHT
0

UNITARY PACKAGING WEIGHT UNIT
KGM

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
0

PACKAGING WIDTH
0

PACKAGING LENGTH
0

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
0

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0

PACKAGING WEIGHT UNIT
GRM


L
N
N
Л
L
D+
D-
N L
DRIVER
DALI 1
– +
N L
DRIVER
DALI 20
– +