

German monoblock socket outlet 16A 250V~ with safety device and screw terminal connection white Simon 31

REF. 31472-60



BASIC INFORMATION

DESCRIPTION

Security, functionality and innovation, are the three basic no pillars in the socket-outlet Monoblock Schuko Simon 31. With safety device included, the cover has child protection function for which the security is only expand to all the facets of their room. Finished in white and a dimension 87 x 87 mm, it consists of 2 modules for 1 element, with a cross-section of wire cross-section of 2.5 mm with a stripped wire 13 mm, it also, thanks to its installation with screw terminal connection, guaranteeing the integration of the set in the space. This socket-outlet is compatible with a voltage of power of 250 Volts, and 16 Amps. It is made up of halogen-free thermoplastic and Thermoset caps to prevent the flame spread and toxicity by smoke in case of fire. Thanks to its materials on the composition, it can reach maximum temperatures of -25 to 50 °C.

FINISH

White

PACKAGING CONTENTS

Socket outlet with cover and frame

ETIM CLASS

EC000125

REMARKS

The covers include a child-proof protective feature.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

16 A

MONOBLOCK

Yes

CABLE SECTION ADMITTED (MM)

2,5 mm

IP RATING

IP21

NOMINAL VOLTAGE (V~)

250 V~

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

FORMAT

Schuko

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INDICATOR FUNCTION

No

TYPE OF MECHANISM

Insertion

VERSION

Single

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

13

INSTALLATION TYPE

Suitable for surface and flush mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

UNE 20315-1-1:2009, UNE 20315-1-2:2009

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053055731

PACKAGING VOLUME
3685500

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
91

PACKAGING GROSS WEIGHT
1.2

UNITARY PACKAGING GROSS
WEIGHT
0.12

PACKAGING WIDTH
180

PACKAGING NET WEIGHT
1.2

PRODUCT NET WEIGHT
0.12

PACKAGING LENGTH
225

PACKAGING WEIGHT UNIT
KGM