


Telephone socket with 4 pins graphite RJ11

REF. 75480-32



BASIC INFORMATION

FINISH

Black

COMPATIBILITY

Simon 75, Simon 82 Detail,
Simon 82 Nature, Simon 82 and
Simon 88 frames

PACKAGING CONTENTS

Telephone socket with 4 RJ11
pins

ETIM CLASS

EC000018

TECHNICAL INFORMATION

CABLE SECTION ADMITTED (MM) From 0,3 to 0,5 mm	FORMAT RJ	STORAGE TEMPERATURE RANGE (°C) -25 - 50 °C
NUMBER OF CONNECTORS 1	IP RATING IP20	TYPE Category 3
CONNECTOR TYPE RJ11	TYPE OF MECHANISM Insertion	VERSION Single
NUMBER OF CONTACTS 4	OPERATING TEMPERATURE RANGE (°C) 5 - 40 °C	NUMBER OF WIRES 2
NUMBER OF POSSIBLE ELEMENTS 1 element		

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM) 12	INSTALLABLE IN FLUSH MOUNT JUNCTION BOX Universal	TYPE OF TERMINAL CONNECTION - FUNCTION 1 Screw
CLAW Simon 27	INSTALLATION TYPE Suitable for surface and flush mounting	

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012

LOGISTICS INFORMATION

UNITARY EAN CODE 8421053256244	UNITARY PACKAGING WEIGHT UNIT KGM	UNITS CONTAINED PACKAGING 10
UNITARY PACKAGING GROSS WEIGHT 0.051	UNITARY PACKAGING WIDTH 0	PACKAGING MEASUREMENT UNIT MMT
UNITARY PACKAGING HEIGHT 0	PACKAGING EAN 8421053004524	PACKAGING VOLUME 3017190
UNITARY PACKAGING LENGTH 0	PACKAGING GROSS WEIGHT 0.51	PACKAGING VOLUME UNIT MMQ
PRODUCT NET WEIGHT 0.051	PACKAGING HEIGHT 82	PACKAGING WEIGHT UNIT KGM
UNITARY PACKAGING VOLUME 0	PACKAGING LENGTH 223	PACKAGING WIDTH 165
UNITARY PACKAGING VOLUME UNIT MMQ	PACKAGING NET WEIGHT 0.51	