

HDMI connector type A female with trim plate white Simon K45

REF. K129B/9



BASIC INFORMATION

DESCRIPTION

This HDMI connector type A female of the series Simon K45 is designed with top quality materials and features a beautiful and classic finished in white colour. With measures 22.5 x 45 mm, it requires a type of female-female rocker operation. In terms of the maximum recommended length of cabling, varies between 5 metres for category 1 patch cords and 12 metres for category 2 patch cords. The Simon K45 HDMI connector is the individual version of the product to one or two elements, in addition, it is only a module, and can be installed in surface-mounted or flush-mounted. It is made of metal components with self-extinguishing thermoplastic insulation and halogen free, enabling high and low temperatures, optimising the security in its use. It is recommended to clean the product with a clean and soft dry cloth, always avoiding abrasive cleaners that contain chemical, such as chlorine.

FINISH

White

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-030)

PACKAGING CONTENTS

Female type-A HDMI connector and instruction sheet

ETIM CLASS

EC000018

REMARKS

Maximum wire length recommended; 5 metres for category 1 patch cords (video streaming up to 720p or 1080i) and 12 metres for category 2 patch cords (video streaming at 1080p or higher). For additional information, please read the product instruction sheet

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

FORMAT

HDMI

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

REVISION

+34 2.0

IP RATING

IP20

RAL

9003

CONNECTOR TYPE

HDMI

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

NUMBER OF POSSIBLE ELEMENTS

1/2 element

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45
and specific Simon 500 Cima
using adaptor (ref.50012088-
030)

INSTALLATION TYPE

Suitable for surface and flush
mounting

REGULATIONS

REGULATIONS

Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE

8426436064812

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8426436064812

PACKAGING VOLUME

0.105

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

50

PACKAGING GROSS WEIGHT

0.198

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

42

PACKAGING NET WEIGHT

0.025

UNITARY PACKAGING GROSS
WEIGHT

0.025

PACKAGING LENGTH

50

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.025