
Electronic adjustable switch 12-24Vdc PWM LED strip LOLA Simon 75

REF. **7510314-039**



BASIC INFORMATION

DESCRIPTION

Adjustable electronic switch 12-24Vdc PWM LED strip LOLA from the Simon 75 series. Wifi Protocol. Lola is Simon's digital ecosystem for the comprehensive management of homes, buildings, and cities, allowing complete control of spaces.

MATERIAL

FR4,Steel,Plastic

COMPATIBILITY

Molduras Simon 360

ETIM CLASS

EC000025

REMARKS

Operation requires connection to the HUB MINI and the presence of a neutral wire in the electrical installation to ensure proper communication and power supply of the system.

TECHNICAL INFORMATION

INDICATOR FUNCTION
Yes

CURRENT (A)
10 A

NUMBER OF SWITCHES
1

IP RATING
IP20

LINKABLE
Yes

POWER SUPPLY (V~)
12-24 Vdc

RECESS DIMENSION (MM)
40

VOLTAGE (V~)
12-24 Vdc

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)
7

CLAW
Not possible

REMOVAL OF COVER
Only with tool

INSTALLATION DIRECTION
Horizontal, Vertical

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Screw

REGULATIONS

REGULATIONS
Dir. 2014/53/UE RED*1 | Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN 50428:2005 + A1:2007 + A2:2009*1 | EN 60669-1:2018 | ETSI EN 300328 V2.2.2*1 EN IEC 63000:201 | EN IEC 63000:201

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0

PRODUCT NET WEIGHT
0

UNITARY PACKAGING WEIGHT UNIT
KGM

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
0

PACKAGING WIDTH
0

PACKAGING LENGTH
0

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
0

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0

PACKAGING WEIGHT UNIT
GRM


L
N
L N
12/24V
– +
Л
LED-
LED+
V+
V-
Max. 75m
Max. x5