

Front kit for 1 element with 1 Simon iO blinds switch matt white Simon 100

REF. 10020116-230



BASIC INFORMATION

DESCRIPTION

Front kit for 1 element with 1 matte white Simon iO blind switch Simon 100. It is a product of the Simon series 100 whose type of operation is by push-button.

Its type of emborning is screw-based and is installable in a universal box, both vertically and prominently. The voltage capacity of this kit is 250V.

The interval for the temperature of its correct operation will be from 5° C to 40° C and this must have a temperature range for its storage from -25° C and 50° C. For optimum maintenance, it is recommended to dampen a soft cloth slightly in soapy water.

It occupies 1 element, is a standard product and has a size of 85.5x83.5mm. The content that comes with its packaging is the mechanism and instructions so that the user can consult them for any doubts. This product complies with directive 2014/35/UE LVD + directive 2014/30/UE EMC + directive 2011/65/UE RoHS + EN 50581: 2012 + EN 60669-2-1: 2004 + EN 60669-2-1 : 2004 A1: 2009 + EN 60669-2-1: 2004 A12: 2010.

FINISH

Matt white

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC000007

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

NUMBER OF POSSIBLE ELEMENTS

1 element

INDICATOR FUNCTION

Yes

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM

Push button rocker switch/Insertion

MONOBLOCK

No

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

1 element

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Horizontal, Vertical

KIT INSTALLATION DIRECTION

Vertical and horizontal

TYPE OF TERMINAL

CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-2-1:2004 + EN 60669-2-1:2004 A1:2009 + EN 60669-2-1:2004 A12:2010

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053213285

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053213285

PACKAGING VOLUME

70560

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

10

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

84

PACKAGING NET WEIGHT

0.064

UNITARY PACKAGING GROSS
WEIGHT

0.064

PACKAGING LENGTH

84

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.064