

**Push-button switch with light symbol 10A 250V~, built-in
light and fast terminal connection system champagne
Simon 31**

REF. 31661-34



BASIC INFORMATION

DESCRIPTION

Push-button switch 10 AX 250V ~, built in LED system and quick terminal connection in champagne colour. It corresponds to the Simon 31 series, a collection of simple lines and finishes in white, ivory and metallic that fits perfectly into any project. The push-button switch has dimensions of 64x65 mm and is equipped with metal elements with halogen-free insulation, providing maximum security and protection to users. Meanwhile, the trim is made of metallised thermoplastic. The piece also includes a small engraving of a light, in addition, it can be combined with the reference 31802-31 in case it is necessary to replace the indicator light. The product presents an extraordinary thermal resistance, although the ideal thing is that it be installed in environments between 5 and 40°C temperature. For maintenance, use a soft, dry cloth to clean it, avoid those cleaners that contain chlorine.

FINISH

Champagne

PACKAGING CONTENTS

Mechanism with rocker

COMPATIBILITY

Simon 31 frames

ETIM CLASS

EC000029

REMARKS

Can be combined with article 31802-31 if replacing the light indicator.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

10 AX

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

IP RATING

IP20

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

CONSUMPTION INDICATOR (mA)

1 mA

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VERSION

Single

NUMBER OF POSSIBLE ELEMENTS

1 element

TYPE OF MECHANISM

Pivoting

VOLTAGE (V~)

250 V~

INDICATOR FUNCTION

Yes

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

11

INSTALLATION TYPE

Suitable for surface and flush
mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

REGULATIONS

REGULATIONS

UNE-EN 60669-1:2002 + A1:2003 + A2:2009

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
3026595

UNITARY PACKAGING VOLUME
UNIT
MMQ

UNITARY PACKAGING GROSS
WEIGHT
0.085

PRODUCT NET WEIGHT
0.085

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING EAN
8421053009192

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
83

PACKAGING WIDTH
165

PACKAGING LENGTH
221

PACKAGING MEASUREMENT
UNIT
MMT

PACKAGING VOLUME
3026595

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.85

PACKAGING NET WEIGHT
0.85

PACKAGING WEIGHT UNIT
KGM