

Wire outlet 102 mm diameter for installation in furniture or raised floor aluminium Simon K45

REF. TS10/8



BASIC INFORMATION

DESCRIPTION

The Output for 102 mm diameter, for installation in furniture or raised floor finished in aluminium of the series Simon K45 is one of the most demanded products for those individuals and professionals that need to perform flush-mounted into raised floor in all types of buildings. With dimensions of Ø 115 x 43 mm, this element of electrical systems is available in graphite and aluminium. One of its great advantages compared to other similar products is that the outlet of cabling has a useful area of 752 mm² for the passage of cabling. This product has been designed with material self-extinguishing halogen-free thermoplastic that guarantees no flame propagation in case of fire and the low toxicity in case of smoke, components that provide security and resistance to the electrical installations.

FINISH

Aluminium

MATERIAL

Thermoplastic

COMPATIBILITY

Simon K45 enclosures for installation on wall, floor, ceiling, and furniture, and Simon 500 Cima enclosures (requires combining with the K45 to 500 Cima adapter ref. 50012088-038).

PACKAGING CONTENTS

Cable outlet and installation manual.

ETIM CLASS

EC003910

REMARKS

The cable outlet has a useful area of 752 mm² for the passage of cabling

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

AVAILABLE IN

Available in graphite or aluminium

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

INDICATOR FUNCTION

No

IP RATING

IP20

KIT AVAILABILITY

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING

Through the lateral thread of the screws which hold the cable outlet base to the final location (furniture or raised floor)

INSTALLATION DIRECTION

Horizontal.

REMOVAL OF THE PLATE

Only with tool

INSTALLATION TYPE

Suitable for flush-mounting in furniture or raised floor.

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60670-1:2005

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053229071

PRODUCT NET WEIGHT

0.088

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

3769392

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8426436036772

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

5

PACKAGING GROSS WEIGHT

0.44

UNITARY PACKAGING VOLUME

0.3

PACKAGING HEIGHT

118

PACKAGING NET WEIGHT

0.44

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

121

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

0.088

PACKAGING LENGTH

264