Flush-mounted housing Cima Classic for 4 double elements for wall with masonry partition Simon Cima

REF. **SM450**



BASIC INFORMATION

FINISH
Grey

MATERIAL
Plastic

COMPATIBILITY
With trim and flush-mounted wall frame of 4 double elements Simon Cima Classic.

ETIM CLASS
EC002601

TECHNICAL INFORMATION

HEAT RESISTANCE (°C)
+125 °C (in accordance with standard IEC 60695-10-2)

IK CLASSIFICATION
08

KIT AVAILABILITY
No

NUMBER OF PRE-PUNCHED HOLES 31 X 4.65MM
0

RAL
7011

RECESS DIMENSION (MM)
146 x 243 mm

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS
Only with tool

EXTINGUISHING (°C)
+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-10-2)

INSTALLATION DIRECTION
Horizontal, Vertical

LOGISTICS INFORMATION

UNITARY EAN CODE
8426436014879

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
2532600

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.3

PRODUCT NET WEIGHT
0.3

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436014879

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
63

PACKAGING WIDTH
150

PACKAGING LENGTH
268

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
2532600

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.31

PACKAGING NET WEIGHT
0.3

PACKAGING WEIGHT UNIT
KGM