

## Frame with foldable cover for flush-mounted wall box Cima Pro for 3 double elements aluminum Simon Cima

REF. SBMT302/8



### BASIC INFORMATION

#### FINISH

Aluminium

#### MATERIAL

Aluminium

#### COMPATIBILITY

With Simon Cima and Simon 27 Play/Simon K45 (via adapter) mechanisms.

#### ETIM CLASS

EC000007

## TECHNICAL INFORMATION

### HEAT RESISTANCE (°C)

+125 °C (in accordance with standard IEC 60695-10-2)

### IK CLASSIFICATION

07

### KIT AVAILABILITY

No

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### RAL

9006

### RECESS DIMENSION (MM)

156 x 226 mm

## INSTALLATION AND MAINTENANCE

### REMOVAL OF COMPONENTS

Only with tool

### EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-10-2)

### REMOVAL OF THE FRAME

Only with tool

### INSTALLATION DIRECTION

Horizontal, Vertical

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8426436045699

### PRODUCT NET WEIGHT

0.41

### PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING VOLUME

1744875

### UNITARY PACKAGING WIDTH

0

### PACKAGING EAN

8426436045699

### PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING LENGTH

0

### UNITS CONTAINED PACKAGING

1

### PACKAGING GROSS WEIGHT

0.41

### UNITARY PACKAGING VOLUME

1744875

### PACKAGING HEIGHT

55

### PACKAGING NET WEIGHT

0.41

### UNITARY PACKAGING VOLUME UNIT

MMQ

### PACKAGING WIDTH

135

### PACKAGING WEIGHT UNIT

KGM

### UNITARY PACKAGING GROSS WEIGHT

0.41

### PACKAGING LENGTH

235