


Support for signal light Simon 32

REF. 32810-35



BASIC INFORMATION

DESCRIPTION

With the bracket for signal light of the collection Simon 32 you will get the maximum functionality in the minimum space. With signalling function for beacon and locate point built in situations of a low lighting, withstands power of 230 Volt voltage. For the complete installation of the product, Simon 32 recommended to use the luminous signaler with red diffuser and neon lamp included, for greater and the most efficient functionality of the set. Functionality and innovation in the minimum space thanks to the collection Simon 32.

FINISH

White

PACKAGING CONTENTS

Indicator stand

COMPATIBILITY

Art. 32804-35

ETIM CLASS

EC000064

REMARKS

Use signal light with red diffuser and built-in neon lamp (art. 32804-35)

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

INDICATOR FUNCTION

Yes

VERSION

Single

NUMBER OF POSSIBLE ELEMENTS

1 element

POWER SUPPLY (V~)

230 V~

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION TYPE

Suitable for surface and flush
mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

INSTALLATION DIRECTION

Horizontal, Vertical

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
3017190

UNITARY PACKAGING VOLUME
UNIT
MMQ

UNITARY PACKAGING GROSS
WEIGHT
0.06

PRODUCT NET WEIGHT
0.06

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING EAN
8421053012925

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
82

PACKAGING WIDTH
165

PACKAGING LENGTH
223

PACKAGING MEASUREMENT
UNIT
MMT

PACKAGING VOLUME
3017190

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.595

PACKAGING NET WEIGHT
0.6

PACKAGING WEIGHT UNIT
KGM