


## Front kit for 2 elements with 1 German socket outlet with built-in USB charger and 2 rockers matt black Simon 100

REF. 10020212-238



## BASIC INFORMATION

### DESCRIPTION

Front kit for 2 elements with 1 base Schuko plug with integrated USB charger and 2 keys black matte Simon 100. It comes with a practical installation method that can be both vertical and horizontal.

This standard product has dimensions of 154.5 x 83.5mm. It has an intensity of 16 A, while the USB is 2.1 A and 10 AX for the switch. Its mode of operation is by push-button and insert.

This front kit is marketed in the EC and for its development the directive 2014/35/UE LVD + directive 2011/65/UE RoHS + EN 50581: 2012 + EN 60669-1: 1999 + EN 60669-1:1999 A1: 2002 + EN 60669-1: 1999 A2: 2008 \* 2 + IEC 60884-1 Ed. 3.2 \* 1 have been followed.

To carry out proper maintenance of the device, it will be necessary to preserve a temperature range of 5° C to 40° C for its operation and a storage temperature range of -25° C and 50° C. For cleaning it will be enough to pass a cloth with a little water and soap.

### FINISH

Matt black

### COMPATIBILITY

Simon 100 mechanisms kit

### ETIM CLASS

EC000007

### MATERIAL

Thermoplastic

### PACKAGING CONTENTS

Mechanism and instructions

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### IP RATING

IP20

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### NUMBER OF POSSIBLE ELEMENTS

2 elements

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### FORMAT

Schuko,USB

### MONOBLOCK

Yes

### VERSION

2 elements

### INDICATOR FUNCTION

No

## INSTALLATION AND MAINTENANCE

### INSTALLATION DIRECTION

Vertical and horizontal

## REGULATIONS

### REGULATIONS

Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2: 2008\*2 + IEC 60884-1 Ed. 3.2\*1

## LOGISTICS INFORMATION

UNITARY EAN CODE

8421053213551

UNITARY PACKAGING WEIGHT  
UNIT

KGM

PACKAGING MEASUREMENT  
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053213551

PACKAGING VOLUME

178516.8

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

25.3

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

84

PACKAGING NET WEIGHT

0.056

UNITARY PACKAGING GROSS  
WEIGHT

0.056

PACKAGING LENGTH

84

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.056