

Cover for mechanism of the German double socket outlet with viewer white Simon 500 Cima

REF. 50011841-030



BASIC INFORMATION

DESCRIPTION

Protect properly electrical and electronic systems will allow us to extend the service life of the same. For this purpose, we can you in the Cover for the mechanism of the double Schuko socket outlet with viewer in white colour of the Simon 500 Cima series, an article that needs to be combined with a double socket-outlet with schuko format. With dimensions of 100 x 50 x 9 mm, this element has a wire cross section of 1.5 to 2.5 mm and stripping of 12 mm wire frame Suitable for surface-mounted or recess, this cover has been designed with halogen-free thermoplastic that guarantees no flame propagation in case of fire and the low toxicity in case of smoke innovative design and maximum security at the most competitive price.

FINISH

White

MATERIAL

Plastic

COMPATIBILITY

German double socket outlets
Simon 500 Cima

PACKAGING CONTENTS

Cover for the mechanism of the
German double socket outlet
with viewer without LED light
indicator

ETIM CLASS

EC000011

REMARKS

Must be combined with a German double socket outlet

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

INDICATOR FUNCTION

Yes

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

AVAILABLE IN

Plate with viewer and LED light indicator, plate without viewer and as a replacement for plate with viewer

IP RATING

IP20

NUMBER OF MODULES

2

KIT AVAILABILITY

No

RAL

9003

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C in surface-mount wall installation and +90 °C in flush-mount wall installation

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VERSION

2 elements

FORMAT

Schuko

INSTALLATION AND MAINTENANCE

REMOVAL OF COVER

Only with tool

INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

TYPE OF FASTENING

By direct snap-fit on the double socket outlet (no tools needed for fastening))

INSTALLATION TYPE

Suitable for surface or flush-mount installation

REGULATIONS

REGULATIONS

Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | IEC 60884-1 Ed. 3.2 | UNE 20315-1-1:2017 | UNE 20315-1-2:2017 | DS 60884-2-D1:2023

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053254721

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.028

PRODUCT NET WEIGHT

0.028

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053093573

UNITS CONTAINED PACKAGING

10

PACKAGING HEIGHT

52

PACKAGING WIDTH

105

PACKAGING LENGTH

220

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

1.201

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

0.28

PACKAGING WEIGHT UNIT

KGM

