

Angled voice and data plate with dust cover 1 element for 1 RJ45 white Simon 500 Cima

REF. 50000081-030



BASIC INFORMATION

DESCRIPTION

Model of plate for Voice and data connections belonging to the professional range of components, Simon 500 Cima This model of plate includes clips for fastening in Vertical and horizontal enclosures without the need for an adaptor Element of voice and data plate Individual version plate with dust cover with 1 element for 1 RJ45 connector Format snap-fit according to combined MD module. Plate of colour and finishes in White tone, incorporates thermoplastic components halogen-free that Guarantees no flame propagation in case of fire and low toxicity in the The event of smoke generation. It is an element of great versatility, Adapting of natural way to different kinds of environments work and Systems and installations professionals, compatibility for other elements Professional of the Simon 500 Cima series.

FINISH

White

PACKAGING CONTENTS

Angled voice and data plate with dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

FORMAT

RJ45

PLATE TYPE

Angled

AVAILABLE IN

Plate for 1 and 2 RJ45

IP RATING

IP20

RAL

9003

RJ45 CONNECTORS

Not included in voice and data plate

KIT AVAILABILITY

No

RJ45 ADAPTOR MODULE

Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

SNAP-FIT RJ45 PLATES

Corresponding to combined MD module

DUST PROTECTION

Yes

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

SNAP-FIT TYPE

Corresponding to combined MD module

DUST SHUTTER

Yes

NUMBER OF MODULES

1

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053254479

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.013

PRODUCT NET WEIGHT

0.013

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053095119

UNITS CONTAINED PACKAGING

20

PACKAGING HEIGHT

88

PACKAGING WIDTH

123

PACKAGING LENGTH

136

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

1.472

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

0.26

PACKAGING WEIGHT UNIT

KGM

