


2-way switch 10AX 250V~ with built in pilot light and fast terminal connection system Simon 28

REF. 26202-39



BASIC INFORMATION

DESCRIPTION

Provide maximum functionality and innovation with the 2-way switch with built in light of the collection Simon 28. With an installation with quick terminal connection, does not require the use of additional tools and is compatible with a voltage of power of 250 Volts and 10 AX of intensity. With tilting operation, it supports a wire cross-section of 1.5 to 2.5 mm with a stripped wire 15 mm, it also, and for greater versatility of the product, Simon 28 gives the option of replacing the built-in light that you can find in the reference 31802-31. It is made of metal materials with halogen-free thermoplastic insulation, which prevents the flame spread and toxicity by smoke in case of fire, and can reach a temperature range of 5 to 40 ° C and maximum temperatures of -25 to 50 °C.

COMPATIBILITY

Simon 28 frames

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC001590

REMARKS

Can be combined with article 31802-31 if replacing the light indicator.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

10 AX

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

TYPE OF MECHANISM

Pivoting

VERSION

Single

NUMBER OF POSSIBLE ELEMENTS

1 element

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

VOLTAGE (V~)

250 V~

INDICATOR FUNCTION

Yes

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

15

INSTALLATION TYPE

Suitable for surface and flush mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.061

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING VOLUME

3017190

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8421053015346

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

3017190

UNITS CONTAINED PACKAGING

10

PACKAGING GROSS WEIGHT

0.61

UNITARY PACKAGING VOLUME
UNIT

MMQ

PACKAGING HEIGHT

82

PACKAGING NET WEIGHT

0.61

UNITARY PACKAGING GROSS
WEIGHT

0.061

PACKAGING WIDTH

165

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

223

MECANISMOS SIMON 27, 28 Y 44

Mecanismos básicos / Basic switches



Interrupor unipolar / Single-pole switch
XX00101-XX



Pulsador / Push button switch
XX00150-XX



Interrupor bipolar / Double pole switch
XX00133-XX



Conmutador / 2-way switch
XX00201-XX



Conmutador cruce / Intermediate switch
XX00251-XX

Mecanismos con piloto / Pilot switches



Interrupor unipolar / Single-pole switch
XX00102-XX



Interrupor bipolar / Double pole switch
XX00134-XX



Conmutador / 2-way switch
XX00202-XX



Interrupor unipolar / Single-pole switch
XX00104-XX



Pulsador / Push button switch
XX00160-XX



Conmutador / 2-way switch
XX2700204-XX



Conmutador cruce / Intermediate switch
XX2700254-XX