

SLIM SYSTEM modular luminaire End Cover with suspension cable and FIT power supply 50 W White

REF. 90094039-000



BASIC INFORMATION

BODY MATERIAL

Die-cast aluminium

PACKAGING CONTENTS

1 Unit

APPLICATION

Domestic, Office, Retail, Hotel, Contract

PACKAGING DIMENSIONS (MM)

100x105x320 mm

TECHNICAL INFORMATION

IP RATING

IP20

CONTROL

1-10 V

ENERGY EFFICIENCY

A+

OPERATING TEMPERATURE RANGE (°C)

0 - 40 °C

DIRECTIONAL

No

PHOTOBIOLOGICAL CLASSIFICATION

Class II

RAL

9016

DRIVER INCLUDED

Yes

POWER (W)

50 W

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Suspended

REGULATIONS

EAC MARKED

Yes

ECORRAE MARKED

Yes

WARRANTY

5 years

LOGISTICS INFORMATION

UNITARY EAN CODE

8436547085965

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

2.2

PRODUCT NET WEIGHT

1.358

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8436547085965

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

100

PACKAGING WIDTH

105

PACKAGING LENGTH

320

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

6459750

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

2.42

PACKAGING NET WEIGHT

1.358

PACKAGING WEIGHT UNIT

KGM