Flat voice and data plate with dust cover for 2 RJ45 Infra+® for 1 element graphite Simon 500 Cima

REF. **50015089-038**



BASIC INFORMATION

DESCRIPTION

This is a flat base plate of voice and data designed for 2 connectors Infra + ® RJ45 for 1 element has finished in graphite and includes a dust cover for a better maintenance. The piece measures 50x50x11 mm and is manufactured in halogen-free thermoplastic material. Thanks to its special manufactured in compliance with the regulation, guarantees maximum security in case of fire, as prevents extend the flame and also the high toxicity having smoke. The plate allows a maintenance is very simple, as it is only necessary to give light passages with a soft and dry suede. The adapter module is included, but not RJ45 connectors. This product is included in the Simon 500 Cima series, an innovative collection that keeps its commitment to the workplace solutions of the spaces. Moreover, its parts, offering a click terminal connection, improving and streamlining its installation.

FINISH

Graphite

PACKAGING CONTENTS

Flat voice and data plate with dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

COMPATIBLE WITH CONNECTORS
Infra+® RJ45 connectors.

RJ45 CONNECTORS
Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60 °C

DUST PROTECTION
Yes

FORMAT
RJ45

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60 °C

NUMBER OF MODULES
1

PLATE TYPE
Flat

RAL
7021

RJ45 ADAPTOR MODULE
Included in voice and data plate

SNAP-FIT RJ45 PLATES
Infra+® RJ45 connectors

SNAP-FIT TYPE
Infra+® RJ45 connectors

VERSION
Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Specific Simon 500 Cima

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.18

PRODUCT NET WEIGHT
0.18

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053096871

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
54

PACKAGING WIDTH
52

PACKAGING LENGTH
215

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
0.604

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
1.8

PACKAGING WEIGHT UNIT
KGM


50
50
5
11