

Upper trim for oval mini columns with 2 sides grey Simon K45

REF. RALK010/8



BASIC INFORMATION

DESCRIPTION

Upper trim designed for 2 sides oval mini columns. It is grey in colour and is included in the Simon K45 series. With dimensions of 80 x 110 x 7 mm, this product is manufactured in compliance with the regulation in halogen-free thermoplastic. It is a material that provides maximum security in case of fire, guaranteeing no flame spread in case of fire and reducing toxicity in the event of smoke. The trim is a product designed as a replacement part, in the event of loss or substitution. It is supplied injected in grey plastic colour. For its maintenance, use a soft and dry cloth, avoiding abrasive cleaners containing chlorine. The series Simon K45 has a complete range of connection solutions suitable for raised and concrete floor. Its mechanisms are compact and suitable for electrical, voice, data and multimedia connections.

FINISH

Grey

PACKAGING CONTENTS

Upper trim and fastening screws

MATERIAL

Plastic

ETIM CLASS

EC002980

REMARKS

Product envisaged as a replacement part, in the event of loss or substitution. It is supplied injected in grey plastic.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

EARTHING RESISTANCE

< 0.05 ?

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

AVAILABLE IN

1-sided, 2-sided (square and oval) and 4-sided

HEAT RESISTANCE (°C)

+125°C (according rule IEC 60695-10-2)

TEMPERATURE RANGE DURING INSTALLATION (°C)

-25 a 120° C

DIELECTRIC STRENGTH

Without perforation or contournement with 2000 V at 50H during 1 minute

INSULATION RESISTANCE (V-MΩ)

5 MOhms at 500 V.

RAL

7035

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

IP RATING

IP4X

KIT AVAILABILITY

No

VERSION

2-sided (Oval)

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING

Using supplied screws

INSTALLATION DIRECTION

Horizontal

REGULATIONS

REGULATIONS

UNE-EN 50.085-2-4-:2006

LOGISTICS INFORMATION

UNITARY EAN CODE

8426436056510

PRODUCT NET WEIGHT

0.025

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

0.003

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8426436056510

PACKAGING VOLUME UNIT

HLT

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0.3

PACKAGING HEIGHT

20

PACKAGING NET WEIGHT

0.025

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

150

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

0.025

PACKAGING LENGTH

100