

## Luminaire wall-mounted 707.30 2L NW Flood-General Aluminium

REF. 70730133-684



### BASIC INFORMATION

#### DESCRIPTION

In the online catalogue in Simon you will find protective all your needs in relation to the indoor lighting of your home or workplace. In this case, in particular, the collection of luminaires wall-mounted 707 offers a warm lighting of ambience to specific areas such as corridors, reception areas, transit areas, its dimensions are 75 x 75 x 75 millimetres and supports a colour temperature of 4000 K. If what you want to is highlighting from a lighting system, this product is ideal. Also offers a functionality thanks to its diffuse optics that produces a soft light effect, providing comfort and a sense of hogareña of the most cosy. This version with an aluminium finish, but if you are looking for another colour or style, we invite you to indoor lighting that eches a glimpse over our catalogue, as we have many more options in these systems lighting.

#### APPLICATION

Ambient lighting

#### PACKAGING CONTENTS

1 unit

#### ETIM CLASS

EC002892

## TECHNICAL INFORMATION

### FREQUENCY

50 Hz

### DRIVER INCLUDED

Yes

### LUMENS (LM)

700 lm

### IP RATING

IP20

### ELECTRICAL CLASS

Type 2

### LUMENS/W

700 lm/10W

### OPERATING TEMPERATURE RANGE (°C)

35 °C maximum

### INTEGRATED POWER SUPPLY

Yes

### OPTICS

General-Flood

### POWER SUPPLY (V~)

230 V~

### L70 (°C)

30,000 h at 25 °C

### PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

### COLOR TEMPERATURE (K)

4000 K

### LIGHT BEAM APERTURE ANGLE (°)

30-60°

### POWER (W)

10 W

### CONTROL

On/Off

### COLOR TYPE

NW

### SERVICE LIFE

30.000 h

### CRI

80

### LIGHTING EFFICIENCY (LM/W)

70 lm/W

### CHROMATICS CRI ICONS

CRI  
80

## INSTALLATION AND MAINTENANCE

### INSTALLATION TYPE

Wall

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

## REGULATIONS

### WARRANTY

3 years 30,000 h

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053109731

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING LENGTH

0

### UNITARY PACKAGING VOLUME

0

### UNITARY PACKAGING GROSS WEIGHT

0.57

### PRODUCT NET WEIGHT

0.448

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING EAN

8421053109731

### UNITS CONTAINED PACKAGING

1

### PACKAGING HEIGHT

105

### PACKAGING WIDTH

105

### PACKAGING LENGTH

105

### PACKAGING MEASUREMENT UNIT

MMT

### PACKAGING VOLUME

1.158

### PACKAGING VOLUME UNIT

DMQ

### PACKAGING GROSS WEIGHT

0.57

### PACKAGING NET WEIGHT

0.448

### PACKAGING WEIGHT UNIT

KGM