

Schuko socket outlet Simon iO 16A 230 V~ with screw terminal system white Simon 270

REF. 21000432-090



BASIC INFORMATION

FINISH

Gloss white

COMPATIBILITY

Simon 270 frames

MATERIAL

Thermoplastic

ETIM CLASS

EC000125

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

16 A

OPERATING TEMPERATURE

RANGE (°C)

0 - 35°C

CABLE SECTION ADMITTED (MM)

2 x 1,5 a 2,5 mm

IP RATING

IP20

POWER SUPPLY (V~)

230 V~

FORMAT

Schuko

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RAL

9003

FREQUENCY

50 - 60 Hz

VOLTAGE (V~)

127/230 V~

INDICATOR FUNCTION

No

MONOBLOCK

No

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

10

INSTALLATION DIRECTION

Horizontal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Dir. 2011/65/UE RoHS + post. mod. | Dir. 2014/53/UE RED | EN 50428:2005 | EN 50428:2005 A1:2007 | EN 50428:2005 A2:2009 | EN IEC 63000:2018 | ETSI EN 300328 V2.2.2 | IEC 60884-1 Ed 3.2 | UNE 20315-1-1:2017 | UNE 20315-1-2:2017 | DS 60884-2-D1:2023

LOGISTICS INFORMATION

UNITARY EAN CODE 8421053281772	UNITARY PACKAGING WEIGHT UNIT KGM	PACKAGING MEASUREMENT UNIT MMT
UNITARY PACKAGING HEIGHT 0	PACKAGING EAN 8421053281772	PACKAGING VOLUME 242000
UNITARY PACKAGING WIDTH 0	UNITS CONTAINED PACKAGING 1	PACKAGING VOLUME UNIT MMQ
UNITARY PACKAGING LENGTH 0	PACKAGING HEIGHT 80	PACKAGING GROSS WEIGHT 0
UNITARY PACKAGING VOLUME 0	PACKAGING WIDTH 55	PACKAGING NET WEIGHT 0.09
UNITARY PACKAGING GROSS WEIGHT 0.09	PACKAGING LENGTH 55	PACKAGING WEIGHT UNIT KGM
PRODUCT NET WEIGHT 0.09		



Para información más detallada consultar la hoja de instrucciones
For more detailed information check the instruction sheet