Angled voice and data plate with dust cover for 1 element with 2 RJ45 category 6 UTP aluminium Simon 500 Cima

REF. **50002086-033**



BASIC INFORMATION

DESCRIPTION

Plate for voice and data tilted plate of the Simon 500 Cima and available in aluminium colour. It is a plate with dust cover and 1 element with 1 RJ45 category 6A FTP of Keystone I, II, ATT ® / Avaya ® and that has been designed in accordance with the TIA 568 C. 2. It measures 50 x 50 x 42,5 mm and is compatible with cabling 22-26 AWG and has been manufactured with metal components with halogen-free thermoplastic insulation and autoexinguible. This material is very safe and provides a low toxicity in case of fire and also that does not cause the fire, if it is producing a fire in the place where it is installed, the plate. The plate for voice and data of the range of Simon 500 Cima can be used in public places with temperatures between -5 and the most of 60 ° C and includes all the clips necessary to set it in enclosures horizontal or vertical, without that you have to use any adapter for this task. To clean it, use only a soft, dry cloth and will be perfect.

FINISH

Aluminium

COMPATIBILITY

Simon 500 Cima enclosures

PACKAGING CONTENTS

Angled voice and data plate with dust cover, 2 category 6 UTP RJ45 and installation manual

ETIM CLASS

EC000018

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CABLE SECTION ADMITTED (MM)
22-26 AWG wiring

RJ45 CONNECTION
With insertion tool

CONNECTOR CHARACTERISTICS
category 6 UTP

NUMBER OF CONNECTORS
2

RJ45 CONNECTORS
Included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60 °C

DUST PROTECTION
Yes

FORMAT
RJ45

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60 °C

NUMBER OF MODULES
1

PLATE TYPE
Angled

RJ45 ADAPTOR MODULE
Included in voice and data plate

SNAP-FIT RJ45 PLATES
Keystone I, II, ATT®/Avaya®

SNAP-FIT TYPE
Keystone I, II, ATT®/Avaya®

VERSION
Single

INSTALLATION AND MAINTENANCE

REMOVAL OF CONNECTOR

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Specific Simon 500 Cima

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.079

PRODUCT NET WEIGHT
0.079

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053097632

UNITS CONTAINED PACKAGING
20

PACKAGING HEIGHT
80

PACKAGING WIDTH
224

PACKAGING LENGTH
290

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
0.052

PACKAGING VOLUME UNIT
HLT

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
1.58

PACKAGING WEIGHT UNIT
KGM


50
50
5
11
10