
Front face kit for 1 element with 1 gloss black blind switch Simon 100

REF. **10020115-138**



BASIC INFORMATION

FINISH
Gloss black

PACKAGING CONTENTS
Mechanism and instructions

COMPATIBILITY
Kit mechanisms Simon 100

ETIM CLASS
EC000007

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

INDICATOR FUNCTION
Yes

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

MONOBLOCK
Yes

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION
Horizontal, Vertical

INSTALLATION TYPE
Suitable for flush mounting

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-2-1:2004 + EN 60669-2-1:2004 A1:2009 + EN 60669-2-1:2004 A12:2010

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053201473

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.05

PRODUCT NET WEIGHT
0.05

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053201473

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
10

PACKAGING WIDTH
84

PACKAGING LENGTH
84

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
70560

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.05

PACKAGING NET WEIGHT
0.05

PACKAGING WEIGHT UNIT
KGM