

Voice and data flat plate without dust cover for 1-element for 1 Ortronics® RJ45 connector black Simon K45

REF. K281/14



BASIC INFORMATION

DESCRIPTION

Element of the plate model K281 / 14 For the professional series Simon K45, this is the individual version Compatible for different types of installations for voice and data connections. It is a model of plate Voice and data plate without dust cover for a single element, for 1 RJ45 connector of Of ORTRONICS ® with an snap-fit Keystone I, II, ATT ® / Avaya ®. Is Manufactured in black finishes of tonality. It has components of thermoplastic character Halogen-free; guarantees no flame propagation in case of Fire and low toxicity in the event of smoke generation. In the case of combining plate Of VOX vertical enclosures and data you must use the 90° positioner (ref. K66) to facilitate its orientation. It has dimensions 45x45mm and a depth of 8 mm, which makes it a component very versatile And adaptable to all types of assemblies and installations professionals.

FINISH

Black

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-038)

PACKAGING CONTENTS

Flat voice and data plate without dust cover

ETIM CLASS

EC000018

REMARKS

When combining the voice and data plate in vertical housings (mini columns, columns, Teleblock, channels, mechanism holders, etc.) you must use the 90° positioner (ref. K66) to guide the plate into a vertical position.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

COMPATIBLE WITH CONNECTORS

Clarity TechChoice Keystone series

RJ45 CONNECTORS

Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

DUST PROTECTION

No

FORMAT

RJ45

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

NUMBER OF MODULES

Half

PLATE TYPE

Flat

RAL

7021

RJ45 ADAPTOR MODULE

Included in voice and data plate

SNAP-FIT RJ45 PLATES

Conectores RJ45 de Ortronics®

SNAP-FIT TYPE

Conectores RJ45 de Ortronics®

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-038)

INSTALLATION DIRECTION

Vertical according to the direction of the mechanisms

INSTALLATION TYPE

Suitable for surface and flush mounting

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

PRODUCT NET WEIGHT
0.005

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING VOLUME
544320

UNITARY PACKAGING LENGTH
0

PACKAGING EAN
8426436036345

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0.3

UNITS CONTAINED PACKAGING
10

PACKAGING GROSS WEIGHT
0.1

UNITARY PACKAGING VOLUME
UNIT
MMQ

PACKAGING HEIGHT
72

PACKAGING NET WEIGHT
0.05

UNITARY PACKAGING GROSS
WEIGHT
0.005

PACKAGING WIDTH
72

PACKAGING WEIGHT UNIT
KGM

PACKAGING LENGTH
105