Power supply USB C 100W with patch cord ending in a quick connector to be combined with kits which includes a USB Type C Dock black Simon Electrical wiring

REF. **CR6100121150201/14**



BASIC INFORMATION

DESCRIPTION

Power supply USB Type C 100W in black finish to power all Flash kits that include a Dock for comprehensive connectivity (1 or 2 HDMI outputs for displays, 1 Gigabit Ethernet port and 3 USB Type-A connectors for keyboard, mouse and any other connecting device based on the USB Type-A connector) allowing a maximum laptop charge of up to 85W.

FINISH	MATERIAL	ETIM CLASS
White	Plastic	EC002949

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CONNECTOR TYPE
USB C

NUMBER OF CONTACTS
3

FORMAT
USB C

IP RATING
IP20

NOMINAL VOLTAGE (V~)
250 V~

POWER SUPPLY (V~)
100/240 V~

RAL
9003

USB CHARACTERISTICS
Charging

USB CURRENT (A)
20 A

POWER DELIVERY USB
Yes

QUICK CHARGE USB
Yes

USB VOLTAGE (V~)
5 V~

VOLTAGE (V~)
250 V~

INSTALLATION AND MAINTENANCE

EXTINGUISHING (°C)
+650 °C (according to standard IEC 60670)

REGULATIONS

REGULATIONS
Dir. 2014/35/UE LVD*1 | Dir. 2014/30/UE EMC*3 |Dir. 2011/65/UE RoHS + post. mod.*1 | Dir. 2009/125/EC ErP (Reg. UE 2019/1782) *1 *13 *12 | S.I. 2016 No. 1101 - The Electrical Equipment (Safety) Regulations 2016*2 | S.I. 2012 No. 3032 - The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012*2 | IEC 60884-1 Ed.3.2*1 | BS 1363-2:2016+A1:2018*2 | UNE 20315-1-1:2017*5 | BS 1363-4:2016+A1:2018*2 | UNE 20315-1-2:2017*5 | DS 60884-2-D1:2023*4 | CEI 23-50 V4*7 | SANS 164-1:2021*6 | SN 441011-2-1:2019*9 | SI 32 Fig. 204 B*8 | AS/NZS 3112:2017*11 | EN 50173-1:2018*10 | EN 50563:2011 + A1:2013*13 *12 | EN 55032:2015 + A11:2020 + A1:2020*12*14 *16 | EN 62368-1: 2014 + A11:2017*13 *12 | EN 55035:2017 + A11:2020*12*14 *16 | ETSI-EN 301489-34 V2.1.1*13 | EN IEC 61000-3-2:2019 + A1:2021 + A2:2024*12 *16 | EN IEC 60670-1:2021+ A11:2021*15 | EN 61000-3-3:2013 +A1:2019 + A2:2021 *12 *16 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053398067

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.55

PRODUCT NET WEIGHT
0.536

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053398067

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
60

PACKAGING WIDTH
120

PACKAGING LENGTH
210

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
1512000

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.634

PACKAGING NET WEIGHT
0.536

PACKAGING WEIGHT UNIT
KGM