# Downward flat angle accessory for Cablomax trunking 130x55mm aluminum

REF. **TKA021110/8**



## BASIC INFORMATION

### DESCRIPTION

Accessory for Cablomax channel made of aluminum 130x55 mm. Adapts the channel to 90º downward bends on the same plane. Manufactured with high-quality thermoplastic materials and in aluminum finish for proper integration with the channel.

| FINISH | MATERIAL | ETIM CLASS |
|---|---|---|
| Aluminium | Aluminium | EC000876 |

### REMARKS

The product installation can be supplemented with related accessories, as well as combined with K45 functions.

## TECHNICAL INFORMATION

### IK CLASSIFICATION
07

### IP RATING
IP4X

### KIT AVAILABILITY
No

### MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

## INSTALLATION AND MAINTENANCE

### REMOVAL OF COMPONENTS
Only with tool

### REMOVAL OF COVER
Only with tool

### REMOVAL OF THE FRAME
Only with tool

### INSTALLATION TYPE
On Wall and Ceiling

## LOGISTICS INFORMATION

UNITARY EAN CODE
8426436033658

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
3316950

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.902

PRODUCT NET WEIGHT
0.902

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436033658

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
63

PACKAGING WIDTH
130

PACKAGING LENGTH
405

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
3316950

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.902

PACKAGING NET WEIGHT
0.902

PACKAGING WEIGHT UNIT
KGM