

Programmable RF transmitter mechanism with 100-metre range in open space

REF. 75888-39



BASIC INFORMATION

DESCRIPTION

Put light points or electrical equipment through walls or other obstacles with the mechanism RF programmable from radio-frequency (RF) of the Simon 82 collection. This mechanism of neutral lines and minimalist style adapted to all types of environments, guarantees optimum operation and reception without interference thanks to the technology wireless. With 100 meters of free field coverage, with a pulsation operation with button battery of 3 Volts and frequency of 868.3 Mhz. With a maximum of 15 receivers and suitable for installation, recessed or surface-mounted, integrates perfectly in spaces compact at the same time as maximize the functionalities to an efficient control of blinds. In addition, Simon 82 protects your room in case of fire, thanks to its manufacturing materials isolated with halogen-free thermoplastic insulation, reaching a maximum temperature range of between -10 and 70 °C.

COMPATIBILITY

Simon 75, Simon 82 Detail, Simon 82 Nature and Simon 82 frames

PACKAGING CONTENTS

Programmable RF transmitter and instruction sheet

ETIM CLASS

EC000257

REMARKS

Frequency: 868.3 Mhz. Functions with 1 3 V (CR2430) button battery

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

STORAGE TEMPERATURE RANGE (°C)

-10 - 70 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

OPERATING TEMPERATURE RANGE (°C)

0 - 55 °C

VERSION

Single

INDICATOR FUNCTION

No

POWER SUPPLY (V~)

3 V~

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Suitable for surface and flush
mounting

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + Directive 2014/53/UE RED + EN 50364:2010 + EN 50581:2012 + EN 60669-2-1:2004 + EN 60669-2-1:2004 A1:2009 + EN 60669-2-1:2004 A12:2010 + ETSI EN 300 330 V2.1.1. + ETSI EN 301 489-3 V2.1.1.

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053069387

PRODUCT NET WEIGHT

0.065

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

0.254

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053069387

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

0.075

UNITARY PACKAGING VOLUME

253920

PACKAGING HEIGHT

92

PACKAGING NET WEIGHT

0.065

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

30

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

0.065

PACKAGING LENGTH

92