

Downlight 705.23 Directional NW Wide Flood Aluminium

REF. 70523033-484



BASIC INFORMATION

DESCRIPTION

Are you looking for a specific lighting and for some specific areas of spaces not very large and that require the type of lighting that here you mostramos? The Downlight NW Wide Flood provide the best lighting possible in any ambience, offering a warmth and comfort inigualables. They are ideal for specific areas such as fitting rooms, bathrooms rooms, reception or for accentuating or highlighting some decorative objects or as shown on shelves or in cabinets. Also as a lighting system slight in living room or chill-out areas. The reference number that acarrea this product is the 70523033-484. Its dimensions are 88 x 86 millimetres and its finished in stylish aluminium, supporting a voltage of power of between 100 and 240 volts, at a frequency of 50-60 herzios. Another product with which Simon that does not leave nothing without cover: Any kind of need, any type of excellence and always offering maximum performance.

APPLICATION

Ambient lighting

PACKAGING CONTENTS

1 unit

ETIM CLASS

EC001744

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

DRIVER INCLUDED

Yes

LUMENS/W

1080 lm/15,5W

IP RATING

IP20

ELECTRICAL CLASS

Type 2

OPTICS

Wide Flood

OPERATING TEMPERATURE RANGE (°C)

40 °C maximum

INTEGRATED POWER SUPPLY

No

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

POWER SUPPLY (V~)

100/240 V~

L70 (°C)

30,000 h at 25 °C

POWER (W)

15.5 W

COLOR TEMPERATURE (K)

3900 K

COLOR TYPE

NW

POWER SUPPLY DIMENSIONS (MM)

45x141x26 mm

CONTROL

On/Off

LIGHTING EFFICIENCY (LM/W)

70 lm/W

SERVICE LIFE

30.000 h

CRI

80

LUMENS (LM)

1080 lm

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

MINIMUM INSTALLATION HEIGHT

136

INSTALLATION TYPE

Flush mount

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

WARRANTY

3 years 30,000 h

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.514

PRODUCT NET WEIGHT

0.514

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053122297

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

135

PACKAGING WIDTH

145

PACKAGING LENGTH

155

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

3.034

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0.514

PACKAGING NET WEIGHT

0.514

PACKAGING WEIGHT UNIT

KGM