


## FM digital tuner module

REF. 05062-39



### BASIC INFORMATION

#### DESCRIPTION

Listen to your favourite radio string in all rooms thanks to the digital FM synth module Simon 82. Its finishes with noble and minimalist style is integrated into all types of spaces, adding a bonus of style in which the maximum functionality takes prominence. With sound in Stereo and compatible with power of 12 Vdc, has a bandwidth sintonizadora from 87.5 to 108 MHz. At the time of its installation, it requires the part number 05252-39 to maximize its functionalities. Designed for installation both recessed and surface-mounted, supports a cable section 0.25 to 0.75 mm and stripping of 7 mm With screw terminal connection for a better integration of the set in the space, it consists of operation by pressing to simplify the adjustment of tuner. Its electronic components with halogen-free thermoplastic isolated, guarantee the security in case of fire and, in addition, allows you to reach maximum temperatures of -25 to 50 °C.

#### COMPATIBILITY

Simon 75, Simon 82 Detail, Simon 82 Nature and Simon 82 frames

#### PACKAGING CONTENTS

Tuner module and instruction sheet

#### ETIM CLASS

EC000636

#### REMARKS

Needs to be installed with article 05252-39

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### IP RATING

IP20

### REAR INPUT VIA TERMINALS

Yes

### CABLE SECTION ADMITTED (MM)

From 0,25 to 0,75 mm

### TYPE OF MECHANISM

Push

### STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

### NUMBER OF CONTACTS

5

### OPERATING TEMPERATURE

RANGE (°C)

5 - 40 °C

### NUMBER OF WIRES

5

### INDICATOR FUNCTION

No

### POWER SUPPLY (V~)

12 Vdc

## INSTALLATION AND MAINTENANCE

### CABLE STRIPPING NECESSARY (MM)

7

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

### INSTALLATION TYPE

Suitable for surface and flush mounting

## REGULATIONS

### REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 55020:2007 + EN 55020:2007 A11:2011 + EN 55032:2012 + EN 60065:2002 + EN 60065:2002 A1:2006 + EN 60065:2002 A11:2008 + EN 60065:2002 A2:2010 + EN 60065:2002 A12:2011 +

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.095

PACKAGING MEASUREMENT  
UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT  
UNIT

KGM

PACKAGING VOLUME

384000

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8421053059081

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

0.095

UNITARY PACKAGING VOLUME  
UNIT

MMQ

PACKAGING HEIGHT

60

PACKAGING NET WEIGHT

0.095

UNITARY PACKAGING GROSS  
WEIGHT

0.095

PACKAGING WIDTH

80

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

80