

Single rocker for switches grey Simon 75

REF. 75010-35



BASIC INFORMATION

DESCRIPTION

The series of Simon 75 rockers lawyer by products of the highest quality and functionality. This is an individual rocker for control mechanisms, in grey finish is of individual version, for a single element, has no signaling function. These rockers are available in a total of six different finishes, to achieve a perfect effect welcoming and cleaner in appearance, it is advisable to buy the frame in the same baseboard colour as the rocker selected. The installation, you can recess the optimum rocker or to install it on surface-mounted. It can withstand temperatures very variables, ranging from the most low (-20 degrees centigrade) and the highest (+ 50 degrees centigrade). The manufacturing material is thermo-stable plastic, a high quality. The rocker in question does not include engraving and it is recommended to clean it with a soft cloth slightly dampened in soapy water cotton. Always avoid the use of abrasive cleaning is very aggressive products containing chlorine or other chemical.

FINISH

Grey

MATERIAL

Thermostable

PACKAGING CONTENTS

Single rocker and fastening bracket

SYMBOL

Without engravings

COMPATIBILITY

Simon 75 and Simon 77 mechanisms

ETIM CLASS

EC000011

REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP21

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INDICATOR FUNCTION

No

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | EN 60669-2-1:2004 | EN 60669-2-1:2004 A1:2009 | EN 60669-2-1:2004 A12:2010 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.018

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

3026595

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8421053002285

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

3026595

UNITS CONTAINED PACKAGING

20

PACKAGING GROSS WEIGHT

0.365

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING HEIGHT

83

PACKAGING NET WEIGHT

0.36

UNITARY PACKAGING GROSS WEIGHT

0.018

PACKAGING WIDTH

165

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

221