

Single rocker for switches aluminium Simon 75

REF. 75010-33



BASIC INFORMATION

DESCRIPTION

Individual rocker for control mechanisms in aluminium finish, it is part of the Simon 75 series. These rockers are available in a total of six different finishes, to provide a enviable appearance, it is recommended to choose the frame in the same finish of the baseboard of the selected rocker. This is the individual version of a single element. Does not include a signaling function. To install it correctly, this individual rocker, you can choose to recess it or place it on a surface-mounted. The components of the manufacture of this rocker they bet for a thermoplastic material with a stylish finished in matt aluminium. Thanks to these materials of high quality, the rocker can withstand high temperatures of up to + 50 degrees centigrade. The product does not include engraving of any kind. For a correct maintenance, it is recommended to clean the rockers with a soft cloth moistened in a solution of soapy water, always avoid aggressive cleaning products.

FINISH

Matt aluminium

MATERIAL

Thermoplastic,Aluminium

PACKAGING CONTENTS

Single rocker and fastening bracket

SYMBOL

Without engravings

COMPATIBILITY

Simon 75 and Simon 77 mechanisms

ETIM CLASS

EC000011

REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP21

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INDICATOR FUNCTION

No

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | EN 60669-2-1:2004 | EN 60669-2-1:2004 A1:2009 | EN 60669-2-1:2004 A12:2010 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053002278

PACKAGING VOLUME

3026595

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

20

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

0

PACKAGING HEIGHT

83

PACKAGING GROSS WEIGHT

0.46

UNITARY PACKAGING GROSS WEIGHT

0.023

PACKAGING WIDTH

165

PACKAGING NET WEIGHT

0.46

PRODUCT NET WEIGHT

0.023

PACKAGING LENGTH

221

PACKAGING WEIGHT UNIT

KGM