

Spotlight DROP 3000 K Spot On Board Dimmer White

REF. 91892611-300



BASIC INFORMATION

DESCRIPTION

Do you already know the spotlights Drop? This is a range of products belonging to the collection of architectural lighting of SIMON, the one that allows the maximum freedom creative. AND making it with this range of spotlights. AND is that, thanks to the fact that it is possible to 360 ° and adapt to the most far-fetched corners, it is possible to give free rein to the imagination and inspiration to create spaces. It also, it is perfect to create modular systems with other luminaires of its range, or other collections.

With Spot 18° Luminaire optics and colour temperature of 3000 K, perfect for position, place suspended, in the ceiling or wall. The lighting efficiency of up to 81 lm / W and, on the other hand, it has 1450 lm of light flux of light.

To perform consultations and be able to locate quickly this spotlight Drop in the catalogue, we recommend you note this Art.No. that identifies: 91892611-300. Consult with our customer service if as well as you need and we 'll answer all your doubts very soon.

BODY MATERIAL

Die-cast aluminium

PACKAGING CONTENTS

1 Unit

APPLICATION

Domestic,Office,Retail,Hotel,Contract

ETIM CLASS

EC001744

TECHNICAL INFORMATION

IP RATING

IP20

CRI

90

COLOR TYPE

NW

OPERATING TEMPERATURE RANGE (°C)

0 - 35 °C

DIRECTIONAL

Yes

LIGHTING EFFICIENCY (LM/W)

hasta 81 lm/W

POWER SUPPLY (V~)

48 V~

DRIVER INCLUDED

Yes

LUMENS (LM)

1450 lm

RAL

9016

ELECTRICAL CLASS

III

NUMBER OF LUMINAIRES

1

COLOR TEMPERATURE (K)

3000 K

ENERGY EFFICIENCY

A+

MACADAM STEPS

<3 Step MacAdam

CONTROL

On Board Dimmer

L70 (°C)

150000h at 25°C

OPTICS

Spot 18°

L90 (°C)

40000h at 25°C


POWER (W)

19 W

CHROMATICS CRI ICONS

CRI
90

PHOTOMETRY ASSETS – POLAR



INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Suspended/Wall-mounted/Ceiling

REGULATIONS

EAC MARKED

No

ECORRAE MARKED

Yes

WARRANTY

5 years

LOGISTICS INFORMATION

UNITARY EAN CODE

8436547049677

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8436547049677

PACKAGING VOLUME

4452120

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

83

PACKAGING GROSS WEIGHT

0.68

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

180

PACKAGING NET WEIGHT

0.62

UNITARY PACKAGING GROSS
WEIGHT

0.795

PACKAGING LENGTH

298

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.62