Frame with foldable cover for flush-mounted wall box Cima Pro for 3 double elements aluminum Simon Cima

REF. **SBMT302/8**



BASIC INFORMATION

FINISH
Aluminium

MATERIAL
Aluminium

COMPATIBILITY
With Simon Cima and Simon 27 Play/Simon K45 (via adapter) mechanisms.

ETIM CLASS
EC000007

TECHNICAL INFORMATION

HEAT RESISTANCE (°C)
+125 °C (in accordance with standard IEC 60695-10-2)

IK CLASSIFICATION
07

KIT AVAILABILITY
No

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RAL
9006

RECESS DIMENSION (MM)
156 x 226 mm

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS
Only with tool

EXTINGUISHING (°C)
+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-10-2)

REMOVAL OF THE FRAME
Only with tool

INSTALLATION DIRECTION
Horizontal, Vertical

LOGISTICS INFORMATION

UNITARY EAN CODE
8426436045699

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
1744875

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.41

PRODUCT NET WEIGHT
0.41

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436045699

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
55

PACKAGING WIDTH
135

PACKAGING LENGTH
235

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
1744875

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.41

PACKAGING NET WEIGHT
0.41

PACKAGING WEIGHT UNIT
KGM