

Touch LightKeypad button box 8 functions (6 digits plus up and down) graphite Simon Scena

REF. 89000150-038



BASIC INFORMATION

DESCRIPTION

The keypad 89000150-038 Touch LightKeypad 8 functions (6 digits plus up and down) is part of the range of Simon Scena and has graphite finishes and a power of 12 VDC -DMX. It has 8 actions plus off in a piece that consists of 6 digits plus up and down. Also, program from Touch Light Manager, where you can select channels, groups, scenarios, sequences, among others. Finally, this product has IR input and is compatible with the Simon 75350-69 remote control. Thanks to our commitment to improve, today we can offer you anything you need thanks to the wide range of products, lines and collections that we have today . Because at Simon we endeavour to continue to offer products of up to have the best quality of the market.

FINISH

Graphite

PACKAGING CONTENTS

Touch LightKeypad, frame holder and instructions

ETIM CLASS

EC002466

COMPATIBILITY

Touch Light Manager

REMARKS

Fitted with an IR input and compatible with SIMON 75350-69 remote control.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

BASIC CHARACTERISTICS

8 actions plus everything off, 6 digits plus up and down.

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

MAXIMUM NUMBER OF CHANNELS

1

TYPE OF MECHANISM

Requires connection to Touch Light Manager, Touch pulse

OPERATING TEMPERATURE RANGE (°C)

0 - 45 °C

OPERATION

8 actions plus off

POWER SUPPLY (V~)

12 VDC/DMX

SIGNALLING FUNCTION

Yes

STORAGE TEMPERATURE RANGE (°C)

0 - 45 °C

USE

Short press for On/Off

INSTALLATION AND MAINTENANCE

BUS CONNECTION TYPE OF TERMINAL CONNECTION

Por inserción

CABLE CHARACTERISTICS DATA

Multicore AWG 24; 2 shielded twisted pairs with impedance of 120 Ohms

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION TYPE

Semi-flush mount; requires universal flush-mount box.

REGULATIONS

REGULATIONS

UNE-EN 50491-3:2010 + 2004/108/CE + 2006/95/CE

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053096444

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053096444

PACKAGING VOLUME

0.528

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

40

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

110

PACKAGING NET WEIGHT

0.112

UNITARY PACKAGING GROSS
WEIGHT

0.112

PACKAGING LENGTH

120

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.112