3xRCA connectors female-female with incorporated plate and patch cords white Simon 400

REF. **40001193-030**



BASIC INFORMATION

DESCRIPTION

Simon is characterized by creating solutions for all kinds of environments. The need of multimedia connectors is more and more so that Simon presents this connector 3 x RCA female-female with patch cords and built-in plate with a white finish of the series Simon 400. Thanks to this piece you can connect your multimedia equipment in a simple well-ordered way without the need of moving the television. These links have 3 inputs, the yellow for the video composed and the red and white for the audio thus achieving a stereo sound of high quality, a piece of great resistance to the temperature changes, since it can withstand between -5 ° C to + 60 ° Centigrade. For a correct maintenance we must avoid the use of abrasive cloths and / or abrasive cleaners containing chlorine. Simon, with more than 100 years of history, is a benchmark worldwide in the low voltage electrical equipment.

FINISH

White

ETIM CLASS

EC000018

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

FORMAT
RCA

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 at +60 C

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60C

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RAL
9016

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
Directiva 2011/65/UE RoHS;EN 50581:2012;

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053195550

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.075

PRODUCT NET WEIGHT
0.075

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053195550

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
76

PACKAGING WIDTH
90

PACKAGING LENGTH
88

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
601920

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.075

PACKAGING WEIGHT UNIT
KGM