

Downlight 705.24 Tilt Square NW Wide Flood Aluminium

REF. 70524033-484



BASIC INFORMATION

DESCRIPTION

Obtain a lighting ambience of the best quality in spaces establishments or offices with the downlight 705.24 of Simon, with its design Square to give a square shape to the luminaire and directional to each taste, the downlight 705.24 include a control system, switching on ON-OFF for greater versatility and functionality of the set. The colour temperature that includes is of 3900 K, with a lighting and white neutral NW WIDE FLOOD photometric distribution optics to span angles of greater amplitude. Also, energy savings of LED lighting is coupled to a performance of 1080 lm, and total luminaire consumption of 15.5 W, with a service life of 30,000 hours at 25 ° C is compatible with power 100-240 Volts and 50-60 Hertz rate. Designed for flush installation, both in false ceiling as plastered, its finishes in a white tones and its size of 88x86 mm tandem form the perfect of innovation, functionality and sophistication.

APPLICATION

Ambient lighting

PACKAGING CONTENTS

1 unit

ETIM CLASS

EC001744

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

DRIVER INCLUDED

Yes

LUMENS/W

1080 lm/15,5W

IP RATING

IP20

ELECTRICAL CLASS

Type 2

OPTICS

Wide Flood

OPERATING TEMPERATURE RANGE (°C)

40 °C maximum

INTEGRATED POWER SUPPLY

No

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

POWER SUPPLY (V~)

100/240 V~

L70 (°C)

30,000 h at 25 °C

POWER (W)

15.5 W

COLOR TEMPERATURE (K)

3900 K

COLOR TYPE

NW

POWER SUPPLY DIMENSIONS (MM)

45x141x26 mm

CONTROL

On/Off

LIGHTING EFFICIENCY (LM/W)

70 lm/W

SERVICE LIFE

30.000 h

CRI

80

LUMENS (LM)

1080 lm

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

MINIMUM INSTALLATION HEIGHT

136

INSTALLATION TYPE

Flush mount

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

WARRANTY

3 years 30,000 h

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.616

PRODUCT NET WEIGHT

0.616

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053122358

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

135

PACKAGING WIDTH

145

PACKAGING LENGTH

155

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

3.034

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0.616

PACKAGING NET WEIGHT

0.616

PACKAGING WEIGHT UNIT

KGM