

Telephone socket monoblock with 6 pins RJ12 white Simon 73 Loft

REF. 73481-50



BASIC INFORMATION

DESCRIPTION

The series Simon 73 Loft is a series suitable for the most varied tastes thanks to its varied designs, innovative. In this range, we can take the telephone socket with six RJ12 monoblock pins white in colour, a product that stands out for its great resistance and durability over time thanks to the metal components with halogen-free insulation and thermoplastic trim with which it has been manufactured. It supports a wire cross-section of 0.3 to 0.5 mm and a wire stripping of 12 mm, being its screw connection, its functioning is of insertion and its typology of Category 3. Its price, perfect for all types of budgets, makes it one of the most used telephone outlets in buildings with a large number of telephone sockets, such as educational centres, hospitals, hotels or headquarters of offices.

FINISH

White

PACKAGING CONTENTS

Telephone socket with 6 RJ12 pins

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

NUMBER OF CONTACTS

6

TYPE OF MECHANISM

Insertion

CABLE SECTION ADMITTED (MM)

From 0,3 to 0,5 mm

NUMBER OF POSSIBLE ELEMENTS

1 element

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

NUMBER OF CONNECTORS

1

FORMAT

RJ

VERSION

Single

CONNECTOR TYPE

RJ12

IP RATING

IP20

NUMBER OF WIRES

2

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

12

INSTALLATION TYPE

Suitable for surface mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

No aplica

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053061923

PACKAGING VOLUME
3111900

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
82

PACKAGING GROSS WEIGHT
0.73

UNITARY PACKAGING GROSS
WEIGHT
0.073

PACKAGING WIDTH
165

PACKAGING NET WEIGHT
0.73

PRODUCT NET WEIGHT
0.073

PACKAGING LENGTH
230

PACKAGING WEIGHT UNIT
KGM