
Master switch key Simon iO with battery matt black Simon 100

REF. **10002135-238**



BASIC INFORMATION

FINISH
Matt black

MATERIAL
Plastic

COMPATIBILITY
Simon 100 Mechanisms

PACKAGING CONTENTS
Mechanism and instructions

ETIM CLASS
EC000029

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CONNECTIVITY PROTOCOL
Z-wave

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)
0 - 40 °C

STORAGE TEMPERATURE RANGE (°C)
-25 - 75 °C

VERSION
Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION
Horizontal

INSTALLATION TYPE
Suitable for flush mounting

REGULATIONS

REGULATIONS
ETSI-300-220-2 v2.4.1; EN 60669-2-5:2015; EN 50581:2012 // Directive 2011/65/UE RoHS + Directive 2014/53/UE RED + EN 50581:2012 + EN 60669-2-5:2016 + ETSI-300-220-2 v2.4.1

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053213032

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.036

PRODUCT NET WEIGHT
0.036

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053213032

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
26

PACKAGING WIDTH
36

PACKAGING LENGTH
72

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
67392

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.036

PACKAGING WEIGHT UNIT
KGM