

German socket outlet 16A 250V~ for hinged cover, safety device and screw terminal connection white Simon 31

REF. 31431-60



BASIC INFORMATION

DESCRIPTION

The security has been a objective present in Simon to the throughout its history, as a reference in the creation of elements for electrical systems. In the sockets category, we have the two-pole socket outlet with a current of 16 A and a voltage of 250V~ with screw terminal connection in white colour of the Simon 31 series. The covers include the child-protection function, so we are looking at a socket outlet ideal to be installed in homes with children or public centres, such as educational centres or hospitals. The metal components with halogen-free thermoplastic insulation and thermoplastic trim with which it has been manufactured stand out for their durability and resistance. Its measures are 64x65 mm and has a cable section of 2.5 mm and wire stripping of 13 mm.

FINISH

White

PACKAGING CONTENTS

Socket outlet with cover

COMPATIBILITY

Simon 31 frames

ETIM CLASS

EC000125

REMARKS

The covers include a child-proof protective feature.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

16 A

MONOBLOCK

No

CABLE SECTION ADMITTED (MM)

2,5 mm

IP RATING

IP20

OPERATING TEMPERATURE

RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

FORMAT

Two-pole

TYPE OF MECHANISM

Insertion

VERSION

Single

INDICATOR FUNCTION

No

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

13

INSTALLATION TYPE

Suitable for surface and flush mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

UNE 20315-1-1:2009, UNE 20315-1-2:2009

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053055526

PACKAGING VOLUME
3026595

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
83

PACKAGING GROSS WEIGHT
0.9

UNITARY PACKAGING GROSS
WEIGHT
0.09

PACKAGING WIDTH
165

PACKAGING NET WEIGHT
0.9

PRODUCT NET WEIGHT
0.09

PACKAGING LENGTH
221

PACKAGING WEIGHT UNIT
KGM