Spare part round sealing gasket for IP66 watertight floor box with 2 Simon K45 mechanisms

REF. **KFS2003**



BASIC INFORMATION

DESCRIPTION

Seal and protect your electrical panel from potential water or dust ingress with the circular sealing gasket for Simon K45 mechanism holders. Designed to provide the highest level of safety, it offers IP66 certification as a guarantee of resistance. Manufactured with halogen-free, self-extinguishing thermoplastic insulating materials, it prevents flame propagation and smoke toxicity in case of fire. It can withstand installation temperatures ranging from -25ºC to 60ºC, with a maximum temperature of 90ºC. Made of rubber for greater installation flexibility, it features a deep black finish that ensures seamless integration into any type of environment. With dimensions of Ø 101 mm x 6 mm, this product is designed as a replacement circular sealing gasket housed within the mechanism holder unit, which is not included in the reference.

COMPATIBILITY

K45 Solutions

ETIM CLASS

EC002420

TECHNICAL INFORMATION

IP RATING
IP66

KIT AVAILABILITY
Yes

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS
Only with tool

EXTINGUISHING (ºC)
+650 ºC (according to standard IEC 60670)

REMOVAL OF THE FRAME
Only with tool

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053380444

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.001

PRODUCT NET WEIGHT
0.001

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053380444

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
5

PACKAGING WIDTH
155

PACKAGING LENGTH
230

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
178250

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.001

PACKAGING NET WEIGHT
0.001

PACKAGING WEIGHT UNIT
KGM


92,5 mm
155,4 mm