


Simon iO key for electronic switch gloss white Simon 100

REF. 10002034-130



BASIC INFORMATION

DESCRIPTION

The Simon iO switch for the electronic switch of the Simon 100 series is available in white with a glossy finish. Thanks to it being manufactured in PMMA with thermoplastic base, one of the safest materials on the market, the switch can operate at temperatures between the 0 and 40°, supporting even others as extreme as -25 to 75°C during storage, its installation in a horizontal direction and the power supply is done from the mechanism itself, with a total of up to 7 LEDs and following the z-wave protocol that It focuses on the use of home automation for communication between technological devices.

As for its maintenance, it is enough to use a cloth slightly moistened in a soapy solution, avoiding in any case any product that contains chlorine, since its abrasive capacity could seriously damage the aesthetic result of the device.

This part complies with the ETSI-300-220-2 v2.4.1, EN 60669-2-5: 2015 and EN 50581: 2012 regulations, with which we ensure the best quality.

FINISH

Gloss white

COMPATIBILITY

Simon 100 mechanisms

ETIM CLASS

EC000011

MATERIAL

Plastic

PACKAGING CONTENTS

Rocker

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CONNECTIVITY PROTOCOL

Z-wave

OPERATING TEMPERATURE RANGE (°C)

0 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

Half element

IP RATING

IP20

STORAGE TEMPERATURE RANGE (°C)

-25 - 75 °C

INDICATOR FUNCTION

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal

INSTALLATION TYPE

Suitable for flush mounting

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + Directive 2014/53/UE RED + EN 50581:2012 + EN 60669-2-5:2016 + ETSI-300-220-2 v2.4.1

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053146675

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053146675

PACKAGING VOLUME

65122.2

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

25.3

PACKAGING GROSS WEIGHT

0.35

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

36

PACKAGING NET WEIGHT

0.03

UNITARY PACKAGING GROSS WEIGHT

0.032

PACKAGING LENGTH

71.5

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.03