Spare part folding lid for IP66 watertight floor box with 1 Simon K45 mechanism

REF. **KFS1001/72**



BASIC INFORMATION

DESCRIPTION

Replacement lid for the IP66 mechanism holder unit, designed as a substitute material since it does not include the mechanism holder unit. The purpose of this piece is to secure the interior mechanisms, maintaining the connection between devices and preventing any manipulation. Additionally, it is made of high-quality stainless steel and features a stainless steel finish. The optimal quality of our products and our commitment to innovation endorse us as a leading company in the sector. Therefore, you will find the best mechanisms and solutions for your space in each of our series.

FINISH

Steel

COMPATIBILITY

K45 Solutions

ETIM CLASS

EC002420

TECHNICAL INFORMATION

IP RATING
IP66

KIT AVAILABILITY
Yes

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS
Only with tool

EXTINGUISHING (ºC)
+650 ºC (according to standard IEC 60670)

REMOVAL OF THE FRAME
Only with tool

REGULATIONS

REGULATIONS
Dir. 2014/35/UE LVD|Dir. 2011/65/UE RoHS + post. mod.|EN 60670-23:2008|EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053380383

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.269

PRODUCT NET WEIGHT
0.25

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053380383

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
10

PACKAGING WIDTH
155

PACKAGING LENGTH
230

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
356500

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.269

PACKAGING NET WEIGHT
0.25

PACKAGING WEIGHT UNIT
KGM


11,1 mm
110,5 mm
110,2 mm