

Surface mount thermostat for heating graphite Simon 75

REF. 75500-68



BASIC INFORMATION

DESCRIPTION

Having the temperature control that best suits each situation allows us to have maximum comfort at all times. We all know how important this is in the harshest months of the year climatologically speaking. Neither a very cold ambience nor excessive heat in a room. With this thermostat for heating of the Simon 75 series we can always create the ambience you want to have in each circumstance. This is a device surface-mounted for heating rotary and analog with a temperature range of 5 to 30 °, fulfilling the identity signs that differentiate the products of all our lines compared to the competition: Simple, functional and economic. This thermostat is available in black colour with metal components with thermoplastic insulation, halogen-free. Control the temperature of your heating in the easiest way with Simon.

FINISH

Graphite

PACKAGING CONTENTS

Surface-mounted thermostat
and instruction sheet

ETIM CLASS

EC010927

REMARKS

It is essential to supply power to the resistor so that it operates properly.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

FREQUENCY

50 Hz

RELAY OUTPUT CURRENT (A)

10 (4 Inductive) A

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

IP RATING

IP20

STORAGE TEMPERATURE RANGE

(°C)

-20 - 75 °C

AIR CONDITIONING CONTROL

No

TYPE OF MECHANISM

Rotary

TYPE

Heating system

NUMBER OF CONTACTS

3

OPERATING TEMPERATURE

RANGE (°C)

0 - 40 °C

VERSION

Single

NUMBER OF CONTROLLABLE CIRCUITS

1

MODE OF OPERATION

Analogue

ENTRY FOR WINDOW CONTACT

No

NUMBER OF POSSIBLE ELEMENTS

1

POWER SUPPLY (V~)

230 V~

NUMBER OF WIRES

2

INSTALLATION AND MAINTENANCE

CLAW

Not possible

INSTALLATION TYPE

Suitable for surface and flush mounting

TYPE OF TERMINAL

CONNECTION - FUNCTION 1

Screw

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | EN 60730-2-9:2010 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053027103

PRODUCT NET WEIGHT

0.095

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

267325

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053027103

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

0.095

UNITARY PACKAGING VOLUME

267325

PACKAGING HEIGHT

85

PACKAGING NET WEIGHT

0.095

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

37

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

0.095

PACKAGING LENGTH

85