

Switch for blinds 10A 250V~ with 3 positions: up, down and stop white Simon 31

REF. 31333-60



BASIC INFORMATION

DESCRIPTION

The maximum comfort in terms of control and management of the mechanisms of blinds is defined thanks to the supply of Simon in its series 31. The simplicity of the electric mechanism to layout of the user to ensure that has the maximum comfort. Easy assembly and installation, this collection only requires the mechanism that includes the corresponding rocker or cover, as well as the frame. As we is accustomed Simon in all this time, the quality and durability of the products of this series (and the other Simon collections) is unsurpassed. Another example is this Switch for blinds (10 Amps 250 Volt voltage) with 3 positions: Up, down and stop, which is ideal to stop the rise / fall of the blind. Finished in white, including Yes, includes engraving for point to each of the positions: Raise, lower and stop position control unit.

FINISH

White

PACKAGING CONTENTS

Mechanism with rocker

COMPATIBILITY

Simon 31 frames

ETIM CLASS

EC000044

REMARKS

Mechanism with centre position to stop the up/down movement of the blinds.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

10 AX

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

IP RATING

IP20

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VERSION

Single

INDICATOR FUNCTION

No

TYPE OF MECHANISM

Pivoting

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

9

INSTALLATION TYPE

Suitable for surface and flush mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

REGULATIONS

REGULATIONS

UNE-EN 60669-1:2002 + A1:2003 + A2:2009

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053081082

PACKAGING VOLUME
3.017

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
DMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
82

PACKAGING GROSS WEIGHT
0.73

UNITARY PACKAGING GROSS
WEIGHT
0.073

PACKAGING WIDTH
165

PACKAGING NET WEIGHT
0.73

PRODUCT NET WEIGHT
0.073

PACKAGING LENGTH
223

PACKAGING WEIGHT UNIT
KGM