

Intermediate switch with screw terminal connection system titanium Simon 82 Concept

REF. 8200251-096



BASIC INFORMATION

FINISH

Titanium

PACKAGING

Flow pack

ETIM CLASS

EC001590

COMPATIBILITY

Simon 82

PACKAGING CONTENTS

Mechanism

TECHNICAL INFORMATION

CABLE SECTION ADMITTED (MM) 2,5 mm	CURRENT (A) 10 AX	OPERATING TEMPERATURE RANGE (°C) 5 - 40 °C
NUMBER OF POSSIBLE ELEMENTS 1 item	IP RATING IP20	STORAGE TEMPERATURE RANGE (°C) -25 - 50 °C
FORMAT Set	TYPE OF MECHANISM Rocker switch	VERSION Single
INDICATOR FUNCTION No	MONOBLOCK No	VOLTAGE (V~) 250 V~

INSTALLATION AND MAINTENANCE

CLAW Not possible	INSTALLATION TYPE Suitable for surface or recessed mount	TYPE OF TERMINAL CONNECTION - FUNCTION 1 Fast
INSTALLABLE IN FLUSH MOUNT JUNCTION BOX Universal		

REGULATIONS

WARRANTY
3 years

REGULATIONS
Directive 2011/65/UE RoHS + EN 50581:2012 + IEC 60884-1 Ed 3.2

LOGISTICS INFORMATION

UNITARY EAN CODE 8421053279847	UNITARY PACKAGING WEIGHT UNIT KGM	UNITS CONTAINED PACKAGING 5
UNITARY PACKAGING GROSS WEIGHT 0.078	UNITARY PACKAGING WIDTH 0	PACKAGING MEASUREMENT UNIT MMT
UNITARY PACKAGING HEIGHT 0	PACKAGING EAN 8421053229774	PACKAGING VOLUME 3026595
UNITARY PACKAGING LENGTH 0	PACKAGING GROSS WEIGHT 0.392	PACKAGING VOLUME UNIT MMQ
PRODUCT NET WEIGHT 0.078	PACKAGING HEIGHT 83	PACKAGING WEIGHT UNIT KGM
UNITARY PACKAGING VOLUME 0	PACKAGING LENGTH 221	PACKAGING WIDTH 165
UNITARY PACKAGING VOLUME UNIT MMQ	PACKAGING NET WEIGHT 0.39	

MECANISMOS SIMON 31, 75, 77, 82 Y 88

Mecanismos básicos / Basic switches



Interrupor unipolar / Single-pole switch
XXXX101-XXX



Interrupor unipolar / Single-pole switch
7700101-039



Pulsador / Push button switch
XXXX150-XXX



Pulsador / Push button switch
7700150-039



Interrupor bipolar / Double pole switch
XXXX133-XXX



Conmutador / 2-way switch
XXXX201-XXX



Conmutador / 2-way switch
7700201-039



Conmutador cruce / Intermediate switch
XXXX251-XXX



Conmutador cruce / Intermediate switch
7700251-039



Grupo 2 interruptores / 2 switches group
XXXX398-XXX



Pulsador desconexión / Push button disconnection switch
XXXX152-XXX



Grupo dos conmutadores / 2-way switches group
XXXX397-XXX



Grupo de pulsadores desconexión / Push button switch
disconnection group XXXX395-XXX



Grupo conmutador y pulsador / 2-way and push button switch group
XXXX301-XXX



Interrupor unipolar / Single-pole switch
XXXX102-XXX



Interrupor con piloto / Push button pilot switch
7700112-039



Interrupor bipolar / Double pole switch
XXXX134-XXX




Conmutador / 2-way switch
XXXX202-XXX



Interrupor unipolar con luminoso / Single-pole switch with light
XXXX104-XXX



Pulsador con luminoso / Push button switch with light
XXXX160-XXX



Pulsador con luminoso / Push button switch with light
7700160-039



Conmutador con luminoso / 2-way switch with light
XXXX204-XXX



Conmutador cruce con luminoso / Intermediate switch with light
XXXX254-XXX