

Wall luminaire 717.30 Surface mount NW Detector

REF. 71730530-984



BASIC INFORMATION

DESCRIPTION

Luminaire for installation in the wall of the series Simon 717.30 and with optics Detector and Ecorrae category B This luminaire has a light intensity of 1500 lm / 21W and a colour temperature of 4000 K, in addition to give you a service life of 30,000 hours, approximately when it operates at 25 ° C, although it is a type of luminaire that can be installed to perfection in rooms with a temperature located between the -15 and 35. Its finish is white, has a weight of 1,43 kg and dimensions of 340 mm diameter x 100 mm The luminaire wall-mounted of the series 717 of Simon has a neutral design and timeless, and it is a type of luminaire perfect for transit areas such as staircases, corridors and halls. This series also has luminaire with versions with presence detector, making the energy savings of the installation. Above all, it is a type of luminaire very suitable for use in hotels.

APPLICATION

Passage areas

PACKAGING CONTENTS

1 unit

ETIM CLASS

EC002892

REMARKS

Courtesy light function available in detector version. The built-in switch can be used to change the mode of operation according to the application.

TECHNICAL INFORMATION

FREQUENCY

50 Hz

DIRECTIONAL

No

LUMENS (LM)

1500 lm

IP RATING

IP44

DRIVER INCLUDED

Yes

LUMENS/W

1500 lm/21W

OPERATING TEMPERATURE RANGE (°C)

-15 - 35 °C

ELECTRICAL CLASS

Type 2

OPTICS

General

POWER SUPPLY (V~)

230 V~

INTEGRATED POWER SUPPLY

Yes

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

COLOR TEMPERATURE (K)

4000 K

L70 (°C)

30,000 h at 25 °C

POWER (W)

21 W

CONTROL

Detector

COLOR TYPE

NW

SERVICE LIFE

30.000 h

CRI

80

LIGHTING EFFICIENCY (LM/W)

71 lm/W

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

INSTALLATION ALTERNATIVES

Surface

INSTALLATION TYPE

Wall

TYPE OF TERMINAL

CONNECTION - FUNCTION 1

Quick connector

REGULATIONS

WARRANTY

3 years 30,000 h

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053146910

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

1.6

PRODUCT NET WEIGHT

1.4

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053146910

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

106

PACKAGING WIDTH

350

PACKAGING LENGTH

350

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

12985000

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

1.4

PACKAGING WEIGHT UNIT

KGM