


Standard button box 4 functions with LON coupling unit and slide control regulator cold aluminium Simon 82 Sense

REF. 8000651-093



BASIC INFORMATION

FINISH

Matt aluminium

SYMBOL

Dot

MATERIAL

Thermoplastic

COMPATIBILITY

Simon Sense Mechanisms

PACKAGING CONTENTS

Coupling unit, keypad, Slide Control, RJ12 cable and instructions

ETIM CLASS

EC000672

REMARKS

Possibility of customising and creating your own configuration by choosing the functions you need from our icon library.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

INDICATOR FUNCTION

Yes

TYPE OF MECHANISM

Touch

CABLE SECTION ADMITTED (MM)

From 0,5 to 2,5 mm

IP RATING

IP20

OPERATING TEMPERATURE

RANGE (°C)

0 - 45 °C

NUMBER OF POSSIBLE ELEMENTS

2 elements

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

POWER SUPPLY (V~)

24 Vdc

INSTALLATION AND MAINTENANCE

BUS CONNECTION TYPE OF TERMINAL CONNECTION

Por inserción

CLAW

Optional

INSTALLATION TYPE

Suitable for surface and flush mounting

CABLE STRIPPING NECESSARY (MM)

8

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

REGULATIONS

REGULATIONS

EN 50428; EN 60669; EN 50491-1; EN 50491-2; EN14908-1; EN14908-2

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053128794

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053128794

PACKAGING VOLUME

0.797

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

83

PACKAGING GROSS WEIGHT

0.17

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

80

PACKAGING NET WEIGHT

0.17

UNITARY PACKAGING GROSS
WEIGHT

0.17

PACKAGING LENGTH

120

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.17